



Computer Services Ltd Quotation

Cc
E

Attn to : Leotele
Company : UNDP
Fax / Email :
From : Lualuai

Date:
Ref : LFQ2205
No. Pages: 2

Talofa Leotele

Description	Unit Price	Qty
<p>Epson EB-S6 SVGA 2200 ANSI Lumen Projector 3LCD technology 2000:1 contrast ratio Low 231W power consumption Economical 4000hr lamp PRODUCT DESCRIPTION : Entry Level Multimedia Projector PROJECTION SYSTEM : RGB Liquid Crystal Shutter Projection System PROJECTION METHOD : Front / Rear / Ceiling Mount DISPLAY : 0.55 inches Poly-Silicon TFT Active Matrix, 480,000 pixels (800 x 600) x 3, Cross Stripe Pixel arrangement RESOLUTION : SVGA. 800 x 600 pixels ASPECT RATIO : 4:3 BRIGHTNESS : 2200 ANSI lumens CONTRAST : 2000:1 (Auto Iris On) PROJECTION LENS : Type : Digital zoom / Manual focus; F-number : 1.44 FOCAL LENGTH : 16.6; ZOOM RATIO : 1.0 - 1.35 Digital LAMP TYPE : 170W UHE, 4000Hr(Low Brightness), 3000Hr (High Brightness) OPTICAL SYSTEM : Dichroic Mirror Separation & Prism combine method PROJECTED DISTANCE : 23 to 260 inch [0.87 to 10.5m] (Zoom: Tele), 30 to 350 inch [0.87 to 10.5m] (Zoom: Wide) INTERFACE : INPUT : Component Video : D-sub 15pin x 1 (Blue moulding) Composite Video : RCA (Yellow) x1; S-Video: Mini DIN Audio : RCA x 2 (White/Red) USB I/O : Type B x 1 (for mouse control) OUTPUT TERMINAL : Video : D-sub 15pin x 1 (Blue moulding) INPUT SIGNAL : Video : std NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/SECAM POWER SUPPLY : 100-240VAC 2.8-1.5A 50/60Hz, 231W(Lamp on), 4.3W(standby) DIMENSION(H x W x D) : 92 x 327 x 245 mm WEIGHT : Approx. 2.7kg</p> 	\$3,009.00	1
<p>Watch IT 100" 2030mm 4:3 Pull Down ProjectorScreen PRODUCT DESCRIPTION : Watch IT - 2C Pulldown Screens IMAGE SIZE : 100-inch ASPECT RATIO : 4:3 IMAGE (W x H) : 2030 x 1520 mm CASING LENGTH : 2215 mm CASE SIZE (H x D) : 90 x 76 mm BLACK LEADER : 50 mm L/R BORDER : 50 mm BOTTOM BORDER : 40 mm * White folded Steel casing * Pull Down Mechanism with interval * Locking mechanism * Suitable for wall or ceiling mounting at fixed points * Video Format</p>	\$1,015.00	1

Screen IT 100" 4:3 Motorized Projector Screen PRODUCT DESCRIPTION : 2C ScreenIT DIAGONAL : 100 inch ASPECT RATIO : 4:3 IMAGE (W x H) : 2030 x 1520 mm LHS/RHS BORDERS : 50 mm BOTTOM BORDER : 50 mm TOP BLACK BORDER : 80 mm CASING LENGTH (Inc. Brackets) : 2085 mm * White aluminium white casing * Built in IR Remote control with fine adjustment buttons * Fixed mounting brackets * In-built 12v trigger and manual override switch	\$2,266.00
---	------------

Sub-Total
15% VAGST



All goods and service quoted are in \$ Samoan Tala including Duty.
 Quote is valid for 30 days from above and is subject to CSL's standard terms and conditions
 To secure your order a P.O is preferred. Faafetai tele lava faatau i le CSL

CSL Standard Business Terms & Conditions

7



purchase order and an advance payment is preferred on order. Errors and omissions expected.

placement of an order based on this quotation is your agreement to pay on demand all collection costs and solicitors' fees, charges and/or costs and enforcement costs incurred or expended in recovering payment of the account.

quotation unless expressly indicated as being in a foreign currency is in ST\$ and is quoted as FIS.

prices are correct as at the date of this quotation but are subject to change without notice. In particular, currency rate fluctuations may lead to frequent changes in the price of goods. This quotation is based on the current Customs exchange rates for USD and NZD rates for the date above. We will hold this quotation price for exchange rate fluctuations of up to 1.5%.

et

government tariffs or charges subsequently charged. Any Government charges and Customs duty costs subsequently posed are to the customers care and may be additional to the above quoted price.

Availability for some goods may be upto 4 weeks from the date of order. If there will be a delay we will advise you.
Liability for loss or damage to all goods shall pass to the customer at the time of delivery.

international freight costs are included.

CSL does not warrant the goods it supplies, but in most cases the manufacturer does warrant the products. We are able to pass on this warranty to you, and in some cases we can supplement it with our own value-added services.

Warranty covers defects from defects in materials and workmanship under normal use and service for a specified period of time, from 90 days to three years depending on the product.

Warranty conditions covering all products supplied by CSL that you should be aware of include:

- Warranty begins on the day the equipment is delivered to your premises.

- Warranty is limited to diagnosis, repair and/or replacement of faulty hardware components.

- Warranty specifically excludes any software supplied with the machine.

- Warranty does not cover additional software or hardware added to the machine by the customer.

- The standard warranty is "return to CSL premises" at customers' expense.

- For any equipment or equipment parts requiring freighting overseas for repair or replacement, all relevant expenses including freight, insurance, handling fees, duty and other taxes are to the customers care.

Warranty is voided if the equipment is not connected to approved power protection devices at all times.
Damages due to Power Fluctuations and Disruptions are outside the Manufacturer's Warranty Terms.

dered

o replace or repair faulty equipment to the manufacturers' original or superior functionality as per the terms of our warranty.
L is expressly not liable for any loss of productivity, revenue or other costs or losses incurred due to the failure of
ipment or disruption of business caused for any reason while providing service or support.

placement of an order based on this quotation is acceptance of the specific terms above.

Computer Services Ltd.
Lotemau Centre.
Apia, Samoa.
Ph : +685 20926.
Fax : +685 20932.
Email: sales@csl.ws.

09A

8682

Sub-Total



\$3,009.00

\$1,015.00

\$2,266.00
\$6,290.00
\$6,290.00

3.



